

High Level Assessment

Sustainability theme/ Objectives	Assessment criteria	Commentary on criteria	11. Beyton Road A 12. Beyton Road B
			4.81 ha 105-144 dwellings
Availability	Is the site available/has it been put forward by the landowner or a developer?		Yes
1/Env To preserve and enhance the natural beauty of Thurston in terms of its geology, landform, soils, water systems and climate	Is the site at high risk from fluvial flooding?	Sites where at least 75% of the area is in flood zone 3 should be eliminated	No, but at least 50% of the site is in flood zone 3. Also, the flood zone cuts the site in two.
	Is the site at high risk from surface water flooding?	Sites where at least 75% of the area is at high risk of surface water flooding should be eliminated	No
3/Env To protect the landscape setting of Thurston village through use of land with a low landscape impact and by focusing development on previously developed land	- Is the site in open countryside/will it encroach unacceptably on open countryside? - Will the site have a detrimental impact on the landscape?	Sites that clearly sit in open countryside and are likely to have a detrimental impact on the landscape should be eliminated	Site sits clearly in open countryside, well away from the settlement and any other built development. It is likely to have a significant detrimental impact on the landscape when viewed from the east, west and south.
6/Env To protect the identity and local distinctiveness of Thurston as a rural settlement and to enhance the village streetscape.	- What is the relationship of the site to the settlement?	Sites that are clearly separate from the settlement boundary will be eliminated	Site is clearly separate from the existing settlement boundary
9/Soc To improve safe movement around the parish and to key service centres outside the parish by a range of modes	- Does a site, by virtue of its location and scale, have a severe impact on the existing highway network?	Sites that are likely to have a severe detrimental impact on the highway network should be eliminated	No
10/Soc To ensure that the community has			

adequate access to the key services it needs, including health facilities, convenience shops, and schools	- Is the site within a desirable or acceptable walking distance of the main shops and services in the village?	Sites that are more than 50% further than the preferred maximum walking distance from shops and services in the village should be eliminated	Yes
Overall assessment			Site is in open countryside and is clearly separate from the existing settlement boundary. It is not considered to be a sustainable location for development.

Assessment

Should the Overall Assessment state that there is a fundamental issue preventing sustainable development, the site will not be submitted for detailed assessment and the site will not be considered further.

Notes

* This is based on the following guidance provided by the Institute of Highways and Transportation:

	Facilities, e.g shops, bus stop.	Commuting / school	Other
Desirable	200m	500m	400m
Acceptable	400m	1000m	800m
Preferred maximum	800m	2000m	1200m

Source: Guidelines for Providing for Journeys on Foot (IHT 2000)